

MATERIAL SAFETY DATA SHEET (MSDS)

Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **QuakeBond™ PM Primer/Adhesive – Part A**

MFR'S NAME: QuakeWrap, Inc., 2055 E 17th St. Tucson, Az 85719

EMERGENCY PHONE: 800/535-5053 (Infotrac)

GENERAL INFORMATION: 866 QUAKWRAP (782-5397)

Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

INGREDIENT	%	CAS #	EXPOSURE LIMITS
Organic oil	<95	N.D.A.	N.E.
Glass fiber	<15	N.D.A	1 fiber per cc air; ACGIH

Section 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: An organic oil mixture that could irritate the eyes or skin of some persons.

POTENTIAL HEALTH EFFECTS:

EYE:

- May irritate the eyes on contact. May cause mechanical damage (glass fibers).

SKIN:

- Might irritate skin of some persons.

INGESTION:

- May irritate the gastrointestinal tract.

INHALATION:

- Might irritate the respiratory tract.

CHRONIC EFFECTS:

- None known.

SIGNS & SYMPTOMS:

- Irritation, redness or itching of the exposed surfaces.

Section 4: FIRST AID MEASURES

⇒USE APPROPRIATE BLOOD-BORNE PATHOGENS PROTECTIONS←

EYE:

- Flood with eyewash or water and get medical attention if irritation develops.

SKIN:

- Wash with soap and water and get medical attention if irritation develops.

INGESTION:

- Get medical attention.

INHALATION:

- Move victim to fresh air and if problems develop or persist provide breathing support and get medical attention.

ATTENTION: No representation is made as to the accuracy or correctness of the information contained herein, other than to state that it is presented by this organization in good faith and we believe it to be correct and accurate per the limits of our understanding and training as of the date of first publication. The user or handler of this product is warned to take the most conservative and safest interpretation possible of all information contained herein and to use the most extreme personal protection measures and exposure limitations prudently dictated by the specific usage or handling situation, this MSDS information and good industrial safety and hygiene practices.

Section 5: FIRE FIGHTING MEASURES

FLASH POINT: 229°C (445°F) UEL/LEL: N.D.A VAPOR DENSITY: N.D.A
NFPA FLAMMABILITY RATING: not rated AUTOIGNITION: N.D.A
COMBUSTION PRODUCTS: CO, CO₂, NO_x, & misc. hydrocarbons
SPECIAL HAZARDS: Burning may cause extra health and safety risks.
EXTINGUISHING MEDIA: Use foam, CO₂, dry chemical, or, for cooling containers, water fog.
FIRE FIGHTER INSTRUCTIONS: Stay upwind. Wear at least full bunker gear and SCBA.

Section 6: ACCIDENTAL RELEASE MEASURES

Contain, absorb with inert material, pick up and place in sealed containers.

Section 7: HANDLING AND STORAGE

Wash thoroughly after handling. Never eat or smoke around product.

Store in original sealed containers in a cool, dry ventilated storage area.

Section 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

GENERAL: Provide ventilation. Avoid eye and skin contact.

EYE/FACE: Safety glasses recommended.

SKIN: Chemical handling gloves

RESPIRATORY: If spray applied, provide full respiratory protection. NIOSH-approved supplied air or SCBA recommended. For brush or roller application, protection is not normally required.

OTHER: Wash thoroughly after handling. Never eat or smoke around product.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: pale yellow oily liquid ODOR: fatty PHYSICAL STATE: liquid
pH: N.D.A VAPOR PRESS: nil VAPOR DENSITY: N.D.A SPECIFIC GRAVITY: 0.96
BOILING PT: N.D.A MELT PT: N/A SOLUBILITY IN H₂O: nil

Section 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Material is stable with no known conditions to avoid.

INCOMPATIBILITY: Avoid contact with strong oxidizing materials.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: None known, other than Sec. 5's Combustion Products.

Section 11: TOXICOLOGICAL INFORMATION

N.D.A

Section 12: ECOLOGICAL INFORMATION

Oil in product is biodegradable.

ATTENTION: No representation is made as to the accuracy or correctness of the information contained herein, other than to state that it is presented by this organization in good faith and we believe it to be correct and accurate per the limits of our understanding and training as of the date of first publication. The user or handler of this product is warned to take the most conservative and safest interpretation possible of all information contained herein and to use the most extreme personal protection measures and exposure limitations prudently dictated by the specific usage or handling situation, this MSDS information and good industrial safety and hygiene practices.

Section 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable laws and regulations.

Section 14: TRANSPORT INFORMATION

DOT: Not Regulated

IATA: Not Regulated

Section 15: REGULATORY INFORMATION

OSHA HCS: not listed

DOT 172.101: not listed

CERCLA RQ: not listed

CLEAN AIR 112(b): not listed

TSCA: listed

STORMWATER RUNOFF: not listed

SARA 313: not listed

SARA TPQ: not listed

SARA PRIORITY (PC): not listed

CA PROP. 65: not listed.

RISK MGMT: not listed

RCRA Waste Number: none

VOC %: zero

Section 16: OTHER INFORMATION

NFPA: Not rated. Following are Air Logistics interpolations:

HEALTH 1

FIRE 1

REACTIVITY 0

OTHER N/A

ABBREVIATIONS: N/A = not applicable; N.D.A. = no data available; N.E. = not established

END OF MSDS

ATTENTION: No representation is made as to the accuracy or correctness of the information contained herein, other than to state that it is presented by this organization in good faith and we believe it to be correct and accurate per the limits of our understanding and training as of the date of first publication. The user or handler of this product is warned to take the most conservative and safest interpretation possible of all information contained herein and to use the most extreme personal protection measures and exposure limitations prudently dictated by the specific usage or handling situation, this MSDS information and good industrial safety and hygiene practices.

MATERIAL SAFETY DATA SHEET (MSDS)

Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **QuakeBond™ PM Primer/Adhesive – Part B**

MFR'S NAME: QuakeWrap, Inc., 2055 E 17th St. Tucson, Az 85719

EMERGENCY PHONE: 800/535-5053 (Infotrac)

GENERAL INFORMATION: 866 QUAKWRAP (782-5397)

Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

INGREDIENT	%	CAS #	EXPOSURE LIMITS
Polymeric MDI solutions	>80%	9016-87-9	N.E.

Section 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Certain individuals are sensitized to MDI and may find this product irritating to the eyes, skin and respiratory tract, immediately or as a delayed reaction – possibly severe. Unprotected repeated or prolonged exposure may make some persons become sensitized.

POTENTIAL HEALTH EFFECTS:

EYE:

- Irritation.

SKIN:

- Irritation.

INGESTION:

- Ranges from GI irritation to (for sensitized or allergic persons) violent poisoning effect.

INHALATION:

- No effect to (for sensitized or allergic persons) severe breathing distress, up to physical collapse.

CHRONIC EFFECTS:

- Prolonged or repeated unprotected exposure can cause sensitization, which then would lead to that person having severe reactions to contact with this product.

SIGNS & SYMPTOMS:

- Irritation, redness, tightness in throat or chest, difficulty breathing, nausea, vomiting.

Section 4: FIRST AID MEASURES

⇒USE APPROPRIATE BLOOD-BORNE PATHOGENS PROTECTIONS⇐

EYE:

- Flood with eyewash or water and get medical attention.

SKIN:

- Flood with water, followed by soap and water wash. If irritation develops, get medical attention.

INGESTION:

- Do NOT induce vomiting. Get emergency medical attention.

INHALATION:

- Move victim to fresh air. If breathing difficulty persists or develops, provide breathing support & get emergency medical attention.

ATTENTION: No representation is made as to the accuracy or correctness of the information contained herein, other than to state that it is presented by this organization in good faith and we believe it to be correct and accurate per the limits of our understanding and training as of the date of first publication. The user or handler of this product is warned to take the most conservative and safest interpretation possible of all information contained herein and to use the most extreme personal protection measures and exposure limitations prudently dictated by the specific usage or handling situation, this MSDS information and good industrial safety and hygiene practices.

Section 5: FIRE FIGHTING MEASURES

FLASH POINT: 203°C (397°F) UEL/LEL: N.D.A VAPOR DENSITY: heavier than air
NFPA FLAMMABILITY RATING: N.D.A AUTOIGNITION: 240°C (464°F)
COMBUSTION PRODUCTS: HCN possible, plus CO, CO₂, NO_x, & misc. hydrocarbons
SPECIAL HAZARDS: Burning will cause extra health and safety risks.
EXTINGUISHING MEDIA: Reacts with water, possibly releasing heat and gas. Use CO₂, dry chemical.
FIRE FIGHTER INSTRUCTIONS: Stay upwind. Wear at least full bunker gear and SCBA.

Section 6: ACCIDENTAL RELEASE MEASURES

Contain, absorb with inert material, pick up and place in UNSEALED containers. A decontaminating solution of water plus ½% detergent and 5% ammonium hydroxide may be used to wash contaminated surfaces. Allow this solution to dwell for at least 30 minutes before placing in UNSEALED disposal containers.

Section 7: HANDLING AND STORAGE

Wash thoroughly after handling. Never eat or smoke around product.

Store in original sealed containers in a cool, dry ventilated storage area.

Section 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

GENERAL: Provide excellent ventilation.
EYE/FACE: Safety glasses, minimum. Goggles or face shield required if splashing possible.
SKIN: Chemical handling gloves, minimum. Full skin protection required if splashing possible.
RESPIRATORY: If excellent ventilation is not possible, at least NIOSH approved supplied-air or SCBA.
OTHER: Do not wear contaminate clothing or footwear. Wash thoroughly after handling. Never eat or smoke around product.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: brown liquid ODOR: slight PHYSICAL STATE: liquid
pH: N.D.A VAPOR PRESS: 4 x 10⁶ @ 20C VAPOR DENSITY: 8.5 SPECIFIC GRAVITY: 1.24
BOILING PT: N.D.A MELT PT: N/A SOLUBILITY IN H₂O: reacts with water

Section 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Material is stable but can be highly reactive when very hot.
INCOMPATIBILITY: water, alcohol, amines, acids, bases.
HAZARDOUS POLYMERIZATION: Might occur if hot and in contact with water, strong alkalis, tertiary amines and metal salt compounds.
HAZARDOUS DECOMPOSITION: None known, other than Sec. 5's Combustion Products.

Section 11: TOXICOLOGICAL INFORMATION

Oral LD50 (rat): >5,000 mg/kg; Inhalation LC50 (rat): 490 mg/m3 (respirable aerosol) 4 hours.

ATTENTION: No representation is made as to the accuracy or correctness of the information contained herein, other than to state that it is presented by this organization in good faith and we believe it to be correct and accurate per the limits of our understanding and training as of the date of first publication. The user or handler of this product is warned to take the most conservative and safest interpretation possible of all information contained herein and to use the most extreme personal protection measures and exposure limitations prudently dictated by the specific usage or handling situation, this MSDS information and good industrial safety and hygiene practices.

Section 12: ECOLOGICAL INFORMATION

N.D.A

Section 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable laws and regulations.

Section 14: TRANSPORT INFORMATION

DOT: Not Regulated in quantities under 5,000 lbs.
IATA: Not Regulated

Section 15: REGULATORY INFORMATION

OSHA HCS: listed	DOT 172.101: not listed	CERCLA RQ: 6,000 lbs.
CLEAN AIR 112(b): not listed	TSCA: listed	STORMWATER RUNOFF: not listed
SARA 313: listed	SARA TPQ: N.D.A	SARA PRIORITY (PC): N.D.A
CA PROP. 65: not listed.	RISK MGMT: not listed	RCRA Waste Number: none
VOC %: zero	WHMIS: D-IA, D-2A, D-2B	CEPA (DSL): listed

Section 16: OTHER INFORMATION

NFPA: not rated. Following are Air Logistics interpolations:

HEALTH 2 FIRE 1 REACTIVITY 2 OTHER No water

ABBREVIATIONS: N/A = not applicable; N.D.A. = no data available; N.E. = not established

END OF MSDS

ATTENTION: No representation is made as to the accuracy or correctness of the information contained herein, other than to state that it is presented by this organization in good faith and we believe it to be correct and accurate per the limits of our understanding and training as of the date of first publication. The user or handler of this product is warned to take the most conservative and safest interpretation possible of all information contained herein and to use the most extreme personal protection measures and exposure limitations prudently dictated by the specific usage or handling situation, this MSDS information and good industrial safety and hygiene practices.